9. For the violation of any of the aforesaid conditions, the whole or any portion of the security deposit will be liable to forfeiture to Government at the discretion of the District Forest Officer. Sandal chips should be separately heaped at the close of each day's work and classified as desired by the Koti Forester to enable the same being sold by him to intending purchasers.

10. Axes should not be used for the preparation of Sandalwood.

M. A. MUTHANNA,
District Forest Officer.

CHITALDRUG DISTRICT.

Abstract Notification dated the 26th June 1937.

Invites attention of the public to the detailed notification of the sale of the right of quarrying stone in the several units of the district up to the end of June 1938, published on pages 1034-1035 in Part VI of the *Mysore Gazette*, dated 1st July 1937.

A. V. KESAVIENGAR,
District Forest Officer.

ENGINEERING DEPARTMENT.

BUREAU OF SANITARY ENGINEERING, BANGALORE.

Notice dated 28—30th June 1937.

The attention of the public is invited to the Notification calling for the tenders for the work of constructing settling tanks at Harihar for water supply to Davangere town published in pages 1080-1081 Part VI of *Myrore Gazette*, dated 8th July 1937.

The last date of receiving tenders is 19th July 1937.

N. KRISHNIENGAR,
Sanitary Engineer.

BUILDINGS DIVISION, BANGALORE.

Abstract Notification dated 3rd July 1937.

The attention of the public is hereby invited to the detailed notification calling for tenders for extending Lawyer's Association, Bangalore, published in pages 1081-1083, Part VI of the *Mysore Gazette* dated 8th July 1937.

The last date for receipt of the tender is 17th July 1937.

Notification dated 7th July 1937.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Buildings Division, up to 22nd July 1937, up to 2-30 P.M. for constructing a Machine Section and Forest Ranger's Office in Sandal Koti premises, Bangalore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of November 1937.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Buildings Division, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rupees 800 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for Constructing a Machine Section and Forest Ranger's Office in Sandal Koti premises, Bangalore," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office, in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Estimate for constructing a Machine Section and Forest Ranger's Office in Sandal Koti premises, Bangalore.

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		
1	Earthwork excavating foundations and filling in basement	C.yd.	0 3 6	308	
2	Burnt stone jelly concrete in lime mortar filling in foundation	C.ft.	0 3 6	2,139	
3	Size stone in mortar foundation and basement	,,	0 4 6	7,351	
4	Size stone in mud superstructure	,,	0 3 6	5,366	
5	Burnt brick in mud superstructure	,,	0 3 3	4,390	
6	Burnt brick in mortar	,,	0 4 3	784	
7	Burnt stone slabs 6″ thick roughly dressed and fixed	S.ft.	0 4 6	2,212	
8	Teakwood doors with panelled shutters frame 4″×5″ complete with iron fittings, etc.	,,	1 8 0	416	
9.	Teakwood door with half panelled and half expanded metal shutter with iron fittings, etc., complete	,,	1 6 0	72	
10	Teakwood windows with panelled shutters with ¾″ iron bars, etc.	,,	1 10 0	816	
11	Teakwood truss king post with wood oiling including iron fittings with bolts and nuts with hoisting and fixing for a span of 20 ft.	No.	50 0 0	3	
12	Teakwood wrought and put up with wood oiling	C.ft.	5 0 0	416·03	
13	Roofing with 1st Class Mangalore Tiles over teak reepers 2″×1″	Sqr.	23 0 0	76·17	
14	Mangalore ridge tiles set in mortar	R.ft.	0 7 0	301	
16	Plastering with lime mortar two coats with nice finish	Sqr.	3 0 0	77·58	
17	Cement pointing to size stone walls	,,	2 4 0	98·51	
18	White and colour washing 2 coats details as per plastering	,,	0 4 6	77·58	
19	Lac Factory green painting to doors and windows	,,	4 0 0	32·92	
20	Granite slab flooring 6″ thick over 6″ bed of sand dressed at top with cement pointing, etc., complete	,,	40 0 0	14·10	
21	Flooring with 1½″ cement concrete over 3″ lime concrete, etc., complete	,,	20 0 0	30·36	
22	Expanded metal in teak wood frame for closing front of scraping room over wall with clamps, etc., complete	S.ft.	0 8 0	499	
23	Dismantling wall and fixing doors in old wall of Sales Room and Store Room with construction of wall, plastering, etc., complete	Each	3 0 0	2	
24	Removing and stacking Mangalore Tile roof with hip rafters	Sqr.	2 0 0	3·68	
25	Burnt stone slab 8″ thick, 2 line dressed and fixed with for steps in door way	S.ft.	0 6 0	216	
27	Teakwood eave board 9″×¾″ plain with fixing	R.ft.	0 7 0	445	

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		
28	Constructing compound wall 1½″ thick with size stone in mud foundations, 9″ burnt brick in mud superstructure 4′ high with plain coping and lime mortar plastering, etc., complete ..	R.ft.	1 12 0	85	
29	Size stone in mortar pillars for gates with cement pointing, etc.	C.ft.	0 5 0	43	
30	Burnt stone slab coping as per design with 2 line dressing 2′×2′ etc.	Each	5 0 0	2	
31	Teakwood gate with iron bolts, pegs, etc., complete	S.ft.	1 0 0	60	

Notification dated 7th July 1937.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Buildings Division, up to 2-30 P.M., on 22nd July 1937, for improving Sandal Koti Sawing Shed to convert into Stores for Industrial and Testing Laboratory, Bangalore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of September 1937.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Bangalore, between the hours of 11 A.M. to 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of rupees 440 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for improving Sandal Koti Sawing Shed to convert into Stores for Industrial and Testing Laboratory, Bangalore," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Abstract estimate for improving the Sandal Koti Sawing Shed to convert into Stores for Industrial and Testing Laboratory, Bangalore.

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		
1	Removing and stacking Mangalore roofing tiles with reepers	Sqr.	1 12 0	37.46	
2	Removing and stacking Mangalore ridge tiles ..	R.ft.	0 0 9	187	
3	Do Teakwood couple with collers ..	Each	0 8 0	74	
4	Do do rafters	R.ft.	0 0 3	922	

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		
5	Removing and stacking zinc sheets	Sqr.	1 8 0	10·20	
6	Do iron circular pillars ..	No.	0 8 0	8	
7	Do Bengal terrace roof	Sqr.	1 8 0	7·00	
8	Dismantling jack arch terrace and removing debris	„	1 8 0	4·46	
9	Removing and stacking rails of terrace ..	R.ft.	0 1 0	140	
10	Do doors with shutters	No.	0 12 0	9	
11	Do windows with shutters ..	„	0 8 0	9	
12	Do ventilators with sill and lintel ..	„	0 8 0	10	
13	Dismantling burnt brick wall and removing debris	C.ft.	0 0 4	3,376	
1	Earthwork excavating foundation	C.yd.	0 3 6	77	
2	Jelly concrete in lime mortar	C.ft.	0 3 6	519	
3	Size stone in lime mortar foundation and basement	„	0 4 0	1,390	
4	Burnt brick in mud superstructure	„	0 3 3	4,100	
5	Do in mortar	„	0 4 3	1,100	
6	Burnt stone slabs 6″ thick roughly dressed and fixed	S.ft.	0 4 6	480	
7	Tatas tested steel girders 12″×6″ with hoisting and fixing, etc., complete	Cwt.	12 8 0	155·6	
8	Roofing with stone slabs 5″ thick dressed at bottom and joints one line with surki concrete two course flat tiles and plastering, etc., complete	S.yds.	50 0 0	35.27	
9	Teakwood doors with panelled shutters with iron fittings complete	S.ft.	1 8 0	144	
10	Teakwood windows with iron bars, glazed shutters with iron fittings complete	„	1 12 0	320	
11	Fixing old doors for side doors	No.	1 0 0	2	
12	Burnt brick in mortar cornice with plastering ..	R.ft.	0 8 0	376	
13	Do parapet wall 1½ ft. high ¾ ft. thick with plastering including top cornice bases, etc.	„	0 12 0	376	
14	Flooring with 1½″ cement concrete or 3″ lime concrete with nice finish at top	Sqr.	18 0 0	31·90	
15	Lac Factory green painting doors and windows	„	4 0 0	14·49	
16	Repairs to front compound wall	L. S.	..	..	Rs. 20
17	Providing and fixing gate to compound wall ..	S.ft.	0 8 0	40	
18	Lime mortar plastering	Sqr.	3 0 0	94·75	
19	White and colour washing	„	0 4 6	27	

Notification dated 7th July 1937.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Buildings Division, up to 26th July 1937, up to 2-30 P.M., for constructing quarters for Sub-Assistant Surgeon and Matron attached to the Central Jail, Bangalore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of February 1938.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Buildings Division, between the hours of 11 A.M. and 5 P.M.

3. Tender should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of rupees 750 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for constructing quarters for Sub-Assistant Surgeon and Matron attached to the Central Jail, Bangalore," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office, in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific terms of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Abstract estimate for constructing two quarters, one for Assistant Surgeon and one for Matron attached to the Central Jail, Bangalore. (Quantity given for one quarters).

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs. a. p.
1	Earthwork excavation for foundation and filling in basement and tamping, etc., complete	C.yd.	0 3 6	89	
2	Granite stone jelly concrete in lime mortar (1 : 2 : 4) including tamping, etc., complete	C.ft.	0 3 6	821	
3	Laying granite size stone in lime mortar (1 : 2) with through bond stones 6′ apart in foundation and basement	,,	0 5 0	1,553	
4	Providing and fixing burnt stone slabs 6″ thick roughly dressed and fixed inlcuding asphalt jointing for damp proof course, etc., complete	S.ft.	0 5 0	492	
5	Burnt brick in mortar superstructure ..	C.ft.	0 3 6	3,148	
6	Burnt stone slabs 6″ thick one line dressed at top and sides for basement slab and cills and lintels including fixing in mortar ..	S.ft.	0 6 0	655	
7	Providing and fixing stone pillars 1′ square, 8′ high including base and capital as per design during erection, and two line dressing on all sides, etc., complete ..	Each	30 0 0	2	
8	Providing and fixing Teakwood doors fully panelled 1¼″ thick shutters 3½″×5″ frames including brass bolts, hinges, etc., complete	S.ft.	1 12 0	235	
9	Do do ordinary Teakwood battened doors for privy with 1¼″ thick shutters, etc., complete	,,	1 4 0	59	
10	Providing and fixing Teakwood windows inside glazed shutters and penelled shutters outside 1¼″ thick frame 3½″×5″ including ¾″ iron bars, bolts and hinges, etc., complete	,,	2 0 0	94	
11	Cement perforated ventilators in kitchen and bath	,,	1 8 0	9	
12	Iron railing in front verandah 2′ high as per design to be furnished	,,	1 0 0	23	

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs. a. p.
13	Roofing with reinforced concrete interspaced with good bricks 4″ C to C designed to carry a (super imposed) load of 40 lbs. per S.ft., with 3″ surkey concrete on top and two layers of flat tiles and smooth lime mortar plaster finished to necessary slopes and ceiling, etc., complete ..	Sqr.	70 0 0	6.81	
14	Roofing as per details above for 7½′ span ..	,,	55 0 0	6.00	
15	Flooring with 9″ rough boulders and sand, filling over that 3″ stone jelly concrete in lime mortar with 1½″ cement concrete and finished with ½″ cement mixed with approved colour including rounding off corner, etc., complete	,,	25 0 0	10.41	
16	Cornice 9″ deep including block in course and plastering, etc., complete	R.ft.	0 9 0	249	
17	Parapet wall ¾′ thick, 2½′ high in brick in mortar including plastering, etc., complete	,,	1 0 0	237	
18	Plastering two coats of lime mortar (1 : 2) over brick wall	Sqr.	3 4 0	62.62	
19	Colour-washing, two coats outside.. ..	,,	0 5 0	31.31	
20	White-washing inside	,,	0 4 0	31.31	
21	Painting doors and windows with Mysore paint	,,	3 8 0	11.64	
22	Cement pointing to cut line in exposed faces of the basement	,,	3 8 0	3.23	
23	Top capital for the walls round latrine with brick in mortar as per design during execution	R.ft.	0 10 0	25	
24	Compound wall with brick in mortar with base and top as per drawing ¾″ thick, and 5′ high foundations 1½′ × 2′ and plastering, etc., complete alround the building ..	,,	2 4 0	420	

B. R. GARUDACHAR,
Executive Engineer.

BANGALORE DIVISION.

Abstract Notification dated 18th June 1937.

The attention of the public is hereby invited to the detailed notification, inviting tenders for the collection of road materials for each of the Sections I to VII on Salem-Bellary Road for a period of three years, published on pages 1035-1036 of Part VI of the *Mysore Gazette*, dated 1st July 1937.

The last date for the tender is 2 P.M. on 19th July 1937 and the earnest money to accompany the tender is Rs. 100.

Notification dated 7th July 1937.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Bangalore Division, up to 2 P.M. on 3rd August 1937, for constructing buildings at each of the following places for the quarters of the Linemen, at (i) Byadarahalli, between miles 8 and 9 on Bangalore-Magadi Road, (ii) Huriyur Village, Hessarghatta Hobli, (iii) Heggadahalli at 39th mile on Kolar-Sompur Road. An approximate estimate of quantities for each building is given below. These quantities are not guaranteed. The work should be completed by the end of October 1937.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Bangalore between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms for each building which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposited of Rs. 150 (One hundred and fifty) for each building in cash as earnest money, and be superscribed "Tender for constructing Linemen quarters at....." in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than the estimate rate will not be accepted.

Approximate quantities required for constructing one block of Linemen's quarters.

No.	Items of works	Unit	Quantity	Rate sanctioned	Rate quoted in	
					Figures	Words
				Rs. a. p.		
1	Earthwork excavating foundation and filling in basement with watering and consolidating	C.yds.	60	0 4 0		
2	Burnt stone jelly concrete in lime mortar	C.ft.	387	0 3 0		
3	Burnt size stone in clay with bond stones at every six feet in each layer foundation and basement ..	C.ft.	1,002	0 3 6		
4	Burnt brick in clay superstructure ..	,,	1,831	0 3 6		
5	Burnt brick in lime mortar	,,	427	0 4 3		
6	Burnt stone slabs 6″ thick roughly dressed and fixed	Sq.ft.	140	0 4 0		
7	Binding wall 6″×6″ with burnt brick in mortar and chunam plastering, etc., complete	R.ft.	30	0 4 0		
8	Chunam plastering two coats ¾″ thick	Sqr.	45.36	3 0 0		
9	White and colour washing	,,	46.81	0 3 0		
10	Pointing with chunam mortar ..	,,	1.45	1 4 0		
11	Roofing with 1st class Mangalore Tiles on teak reepers 2″×1″ including wood oiling	C.ft.	13.18	24 0 0		
13	Ridge tiles set in mortar and pointed with cement	R.ft.	68	0 7 0		
13	Ventilating tiles with glass, etc. ..	Each	16	1 0 0		
14	Honney wood-work wrought and put up with two coats of wood oiling	C.ft.	51.81	3 0 0		
15	Door with teak wood frame and honney wood battened shutters 1″ thick with iron fittings, etc.	Sq.ft.	156	1 4 0		
16	Windows with teakwood frame and honney wood battened shutters 1″ thick with iron bars ¾″ dia. and iron fittings, etc.	,,	60	1 8 0		

No.	Items of work	Unit	Quantity	Rate sanctioned.	Rate quoted in	
					Figures	Words
				Rs. a. p.		
17	Constructing sinks in bath room, etc.	Each	4	4 0 0		
18	Providing stone mortar and pestle ..	„	4	6 0 0		
19	Flooring with 3" burnt stone jelly lime concrete and over it 1½" cement concrete and plastered with cement mortar ½" thick mixed with red ochre and cutting squores, etc. ..	Sqr.	7.82	18 0 0		
20	Chocolate painting, two coats ..	„	5.28	3 0 0		
21	Shelf with teak wood frame and honney wood battened shutters, etc., complete	Sq.ft.	48	1 2 0		
22	Expanded metal with teakwood frame work and with a door-way ..	„	246	0 12 0		

D. A. HUKERI,
Executive Engineer.

TUMKUR DIVISION.

Abstract Notification dated 26th June 1937.

Attention of the public is drawn to Notification calling for tenders for the restoration of Girinathanahalli Minor Tank, Register No. 32, Sira Taluk, in pages 1037-1038, Part VI of the *Mysore Gazette*, dated 1st July 1937.

Tenders will be received by the Executive Engineer, Tumkur Division, up to 2 P.M. on 26th July 1937.

An earnest money of Rs. 150 only in cash should accompany the tender.

D. KRISHNA RAO,
Executive Engineer.

MYSORE DIVISION.

Abstract Notification dated 26th June 1937.

The attention of the public is hereby invited to the advertisement, published on pages 1038-1040 of Part VI of the *Mysore Gazette*, dated 1st July 1937, calling for tenders for restoration of Chinya Tank, Register No. 63, Nagamangala Taluk.

The last date of receipt of tender is 26th July 1937.

Abstract Notification dated 24th June 1937.

The attention of the public is hereby invited to the advertisement, published on pages 1040-1048 of Part VI of the *Mysore Gazette*, dated 1st July 1937, calling for tenders for urgent repairs required to Sri Ranganathaswami Temple at Sivasamudram Island.

The last date of receipt of tender is 26th July 1937 at 2 P.M.

R. TIPPAIYA,
Executive Engineer.

HASSAN DIVISION.

Abstract Notification.

The attention of the public is invited to the detailed Notification calling for tenders for restoring Cheluvanahalli Hirekere, Register No. 121 of Arsikere Taluk, published in pages 1084-1085 of the *Mysore Gazette*, dated 8th July 1937.

The last date for the receipt of tenders is 15th July 1937.

Notification dated 10th July 1937.

1. It is hereby notified that the Government building described hereunder called the "Old Bench Court Building" at the Krishnarajapuram Extension, Hassan, by the side of Bangalore-Mangalore Road and opposite to the Protestant Cemetery will be auctioned in public along with the site attached to it.

2. The auction will be conducted by the Executive Engineer or any other Officer authorised by him in this behalf, commencing from 9 A.M. on 2nd August 1937.

3. Intending bidders or their authorised agents should be present at the building and should furnish a deposit of Rs. 50 before the commencement of the auction.

4. The successful bidder should pay at once 25 per cent of the bid amount and the balance thereof within 15 days from the date of auction, failing which he will forfeit the abovesaid deposit.

5. If the 25 per cent of the bid amount or the balance thereof is not paid, the said property will be reauctioned at the cost of that bidder making him liable for any loss that may be caused on that account.

6. The auction will not be complete until the bid is confirmed by the Executive Engineer.

7. The successful bidder will get possession of the property after the bid amount is completely paid up and the bid confirmed by the Executive Engineer and he should bear the cost of the stamp paper and of registering the deed.

8. It should be definitely understood that Government will not be responsible for any discrepancies in the description or area of the property.

9. The Executive Engineer, with whom rests the final acceptance of any bid, does not bind himself to accept the final or any bid, or to assign reasons for its refusal.

DESCRIPTION OF THE PROPERTY.

Site.—East to West—128 Feet.
North to South—76½ Feet.
Building.—28′×21½′—Mangalore tiled, with a latrine.
Boundary.—East—Old Octroi House.
West—Municipal Road.
North—Site belonging to Mr. H. V. Rangaswamy.
South—Bangalore-Mangalore Road.

N. LAKSHMINARASIMHAIYA,
Executive Engineer.

ANJANAPUR DIVISION.

Notification dated 9th July 1937.

Sealed tenders for carting and unloading materials for ten months or until further orders from the date of acceptance will be received in the office of the Executive Engineer, Anjanapur Division, Anjanapur, till 12 Noon on 20th August 1937.

Tenders should be addressed to the Executive Engineer, Anjanapur Division, Anjanapur and should be enclosed in sealed cover and superscribed "Tender for Carting Contract to be opened on 20th August 1937 at 2 P.M."

Each tender must be accompanied, under separate cover, either by Registered Post or Money Order, or personally, with a deposit of Rs. 25, as otherwise the tender will not be considered.

The successful tenderer will be required to sign the contract deed and deposit the required further deposit of Rs. 25 immediately after the acceptance of his tender is intimated to him.

The rates to be tendered shall be in the accompanying form and should be entered both in figures as well as in words. The rate quoted by the Contractors should be for all kinds of materials including steel or cast iron pipes, cement bags. When once the tender is accepted, no special rate is allowed on any representation or any consideration.

Payment will be made on bills prepared by this office in the specified printed forms once in every month or if so desired by the Contractor once in a fortnight or even earlier as may be decided by mutual agreement.

The loading and unloading of carts should be arranged for and done by the Contractor himself. The decision of the Executive Engineer, Anjanapur Division, Anjanapur, for all cartings done will be final in all cases of doubt. If the materials are not promptly carted as required either from the Railway Station or from the Stores, or from other places, any demurrages or wharfages or haulage charges and other damages are liable to be debited to the account of the Contractor at the discretion of the above Officer. The carting Contractor should make arrangements to be in touch with the Executive Engineer, Anjanapur Division, Anjanapur, or his representative and should supply carts whenever called upon to do so, at the shortest notice possible.

In the case of urgency or expediency, the Executive Engineer, Anjanapur Division, Anjanapur, will be at liberty to make his own arrangements wherever possible and the Contractor will not have claim for compensation on such accounts.

If carts are not supplied as and when required, other carts will be engaged on the spot at the available rates and any extra cost incurred thereby will be debited to the account of the Contractor and the Contractor will have no voice in the matter.

The Executive Engineer, Anjanapur Division, Anjanapur, will not bind himself to accept the lowest or any other and is also at liberty to accept or reject any or all the tenders without assigning any reason therefor. He may also accept more than one tender if he thinks that there will be full work for more than one Contractor.

The tender is for carting materials and will be from and to Shimoga or any other places as per orders of the Executive Engineer, Anjanapur Division, Anjanapur.

No.	Particulars	Rate
		Rs. a. p.
1	Cement per Cwt. per mile	
2	Kerosene Oil, Petrol, Lubricants, etc., per Cwt. per mile	
3	Rails, pipes and hardware and other like materials per Cwt. per mile ..	

All loads not mentioned above will be paid for on carrying capacity and as decided by the Executive Engineer, Anjanapur Division, Anjanapur.

Distance to and from Shimoga means any place within the Municipal limits and to other places will be as per actuals.

M. NARASIMHAIYA,
Executive Engineer.

MISCELLANEOUS DEPARTMENTS

GOVERNMENT GARDENS DEPARTMENT.

Notification dated 6th July 1937.

SUPPLY OF FRUIT AND OTHER PLANTS.

1. Sealed quotations are invited for the supply of the following fruit and other plants required for this Department for the period ending 30th June 1938.

2. The quotations should be addressed to the Superintendent, Government Gardens, Lal-bagh, Bangalore, so as to reach him on or before 3 P.M. on 26th July 1937. Any quotation received after the above time and date will not be taken notice of.

3. Each quotation should be accompanied by an earnest money deposit of Rupees Fifty.

4. The successful contractor will be required to execute the contract bond on the usual Government Stamp paper within a week from the date of acceptance of contract, binding himself to the conditions for the due fulfilment of the contract, failing which his earnest money will be forfeited to Government and his contract rejected.

5. The deposit of the unsuccessful contractor will be refunded in due course and that of the successful contractor will be retained, till the end of his contract period.

6. The plants have to be supplied on indents, delivery being at the Lal-bagh Nursery, Bangalore.

7. All plants supplied should be healthy and of good size and true to name.

8. The names of the varieties of different kinds of plants should be noted.

9. The rates should be quoted per single, dozen and hundred plants.

10. If any plants are found unsatisfactory for any reason, they should be replaced free of all charges.

11. The right of accepting or rejecting any quotation vests with the Superintendent, Government Gardens in Mysore, Bangalore, who is not bound to assign any reason for accepting or rejecting the lowest or any quotation.